



Condition	Neck	Withers	Loin	Tailhead	Ribs	Shoulder
1 Poor	Bone structure easily noticeable, animal extremely emaciated, no fatty tissue can be felt	Bone structure easily noticeable	Spinous processes project prominently	Tailhead (pinbone) and hook bones project prominently	Ribs projecting prominently	Bone structure easily noticeable
2 Very Thin	Faintly discernible, animal emaciated	Faintly discernible	Slight fat covering over base of spinous processes. Transverse processes of lumbar vertebrae feel rounded. Spinous processes are prominent	Tailhead prominent, can feel vertebrae in tail	Slight fat cover over ribs. Ribs easily discernible	Shoulder accentuated

2



Condition	Neck	Withers	Loin	Tailhead	Ribs	Shoulder
2 Very Thin	Cervical vertebrae easily felt/faintly discernible, animal emaciated	Faintly discernible, concave above top of scapula	Slight fat covering over base of spinous processes. Transverse processes of lumbar vertebrae feel rounded. Spinous processes are prominent.	Tailhead prominent, can feel vertebrae in tail	Slight fat cover over ribs. Ribs easily discernible.	Shoulder accentuated
3 Thin	Neck accentuated	Withers accentuated	Fat buildup halfway on spinous processes but easily discernible. Transverse processes cannot be felt.	Tailhead prominent but individual vertebrae cannot be visually identified. Hook bones appear rounded but are still easily discernible. Pin bones not distinguishable.	Slight fat cover over ribs. Individual ribs easily discernible and palpable	Shoulder accentuated